



ARCHITECTURAL AND LANDSCAPE
DESIGN GUIDELINES

CONTENTS

1. BACKDROP
2. AESTHETIC STANDARDS AND APPROVAL
3. THE DESIGN REVIEW COMMITTEE (DRC)
4. ARCHITECTS
5. DRC APPROVAL PROCEDURES
6. CONSTRUCTION TIME
7. ARCHITECTURAL AND LANDSCAPE DESIGN GUIDELINES
 - 7.1 Design principles
 - 7.2 Style
 - 7.3 Climate and micro-climate
 - 7.4 Development covenants
 - 7.4.1 Height and span width
 - 7.4.2 Building set backs and coverage
 - 7.4.3 Access
 - 7.4.4 Special stands
 - 7.4.5 Privacy and views
 - 7.5 Roofs
 - 7.6 Fascias, gutters and downpipes
 - 7.7 Walls, materials and finishes
 - 7.8 Chimneys
 - 7.9 Doors, windows and shutters
 - 7.10 Verandas, pergolas and balconies
 - 7.11 Plinths and columns
 - 7.12 Retaining structures
 - 7.13 Boundary walls and fences
 - 7.14 Swimming pools
 - 7.15 Timber Decks
 - 7.16 Balustrades
 - 7.17 Site parking and carports
 - 7.18 Outbuildings
 - 7.19 Security
 - 7.20 Stormwater
8. SERVICES
9. GARDEN AND LANDSCAPE DESIGN
10. SUGGESTED LIST OF PLANTS
11. CONTRACTORS CODE OF CONDUCT
12. ENVIRONMENTAL MANAGEMENT
13. CHECKLIST FOR THE PREPARATION OF SKETCH PLANS AND WORKING DRAWINGS

1. BACKGROUND

Hartland Lifestyle Estate is designed for a whole community and located in a magnificent natural rural environment with a mountain and coast backdrop.

It is important therefore that all development is done within a meaningful design framework with the following determinants:

- Harmony with nature.
- Creation of a timeless sustainable architecture.
- Creation of a unique coastal lifestyle.
- Preservation of the intrinsic values of the estate.
- Retention of the diversity and flexibility of the development.

The following types of buildings are envisaged in various parts of the estate:

- Houses on stands of 600m² and larger.
- Houses on stands of 1000m² and larger.
- Group housing.

The minimum size of a dwelling is 125m² for even larger than 500m². This excludes the size of the garage/outbuilding.

- At precincts 3, 4 and future Phases houses of a minimum of 180m² floor area are permitted.



2. AESTHETIC STANDARDS AND APPROVALS

This guideline document serves as a guide for the development of Hartland Lifestyle Estate. The National Building Regulations, Municipal By-laws (Mossel Bay Municipality Zoning Scheme By-law) and requirements of the NHBRC are also applicable.

These guidelines are managed by the Design Review Committee (DRC) for Hartland Lifestyle Estate and may be revised from time to time if necessary, with the approval of the Municipality of Mossel Bay.

The Home Owners Association (HOA) may, but are not obligated to carry out site inspections of construction during the following stages:

- Ground floor level.
- Completion of roof structure.
- Practical completion.

3. THE DESIGN REVIEW COMMITTEE (DRC)

All home designs must be lodged with the DRC for approval and endorsement before submission to the municipality for building approval.

The DRC is represented by the following parties:

- A representative of the Developer of Hartland Lifestyle Estate.
- The architect appointed by the HOA.

4. ARCHITECTS

Only qualified professional and registered architects may design houses on Hartland Lifestyle Estate.

A panel of four local architectural firms will be appointed by the HOA to attend to the interests of property owners.

5. APPROVAL PROCEDURES

The following are required for evaluation and approval during the submission of building plans:

5.1 Stage 1

- 5.1.1 Sketch plans at a scale of 1:100 and sufficient information for submission to the Municipality for approval.
- 5.1.2 Completed checklists (see 13).
- 5.1.3 A geotechnical report for the soil conditions on the property.
- 5.1.4 A non-refundable scrutiny fee of R5 000.
- 5.1.5 Additional plan submissions will cost R1 500 each.
- 5.1.5 A 3D rendering of the house is required.



5.2 Stage 2

- 5.2.1 Working drawings.
- 5.2.2 Completed working drawing checklist (see 13).
- 5.2.3 Civil/structural engineers drawings and indemnity.

Submissions will be approved within 21 days. As soon as the DRC has approved and endorsed an application it may be submitted to Mossel Bay Municipality by the consulting architect for approval.

Plans approved by the DRC will be valid for 3 months.

On completion of construction a surveyors height certificate must be submitted to verify the correct heights.

6. CONSTRUCTION TIME

Construction of a home must start per the signed sales contract by the Purchaser in Clause 23.

To ensure a minimum of disturbance to other residents the construction of a home should be completed within 12 months.

7. ARCHITECTURAL AND LANDSCAPE DESIGN GUIDELINES

- Only one home may be built on a property.
- Stands may not be consolidated.
- A garage may be separate from a house but must be single storey.
- No development may take place on stands steeper than 1:4.
- Same looking houses may not be repeated alongside each other in phases 2, 3, 4 and future phases.
- Homes must be designed in harmony with the environment and must not dominate. Homes must be sensitively designed to fit slopes.
- These design guidelines must be read in conjunction with the project Environmental Management Plan (EMP) which informs of these guidelines.
- The latest design guidelines are published on the Hartland Lifestyle Estate website <http://www.hartlandestate.co.za>
- The latest guidelines shall be applicable when making application to develop.

7.1 Design principles

Buildings and structures must fit the landscape.

The famous American architect Frank Lloyd Wright said that "a house must be of the hill and not on the hill".

Gardens must create a link between houses and the greater landscape.

Hartland Lifestyle Estate lies at the interface of the Karoo and coast. This is an opportunity to develop a Karoo inspired style, a coastal contemporary and a hybrid style to create a diversity of architectural styles that are different but that have common roots. Various distinctive design precincts

will be developed.

7.2 Style

A contemporary veranda style with a positive link to the environment is created by considering the following elements:

- 7.2.1 Pitched roofs with long overhangs that reflect the undulating landscape. Lower and flatter roofs emanating from the main forms create secondary roof forms.
- 7.2.2 Homes should respect the landscape and not be built on oversized platforms.
- 7.2.3 Rectangular plan forms that are fragmented into smaller elements.
- 7.2.4 Use of large window openings for good views and the creation of depth in facades.
- 7.2.5 The use of natural construction materials and textures with colours that compliment the landscape and surroundings.
- 7.2.6 Second storey floors should be smaller than ground floor areas to create a stepped effect sympathetic with the landscape.
- 7.2.7 The extensive use of verandas and pergolas.

7.3 Climate and micro-climate

The climate of Hartland Lifestyle Estate is specific and has an influence on buildings and lifestyle.

It is important to harness sunshine and wind in the creation of comfort.

7.4 Development Covenants



Residential zone 1: dwelling houses:

7.4.1 Height and span width

- Precinct 3 Erf 7545-7572. Precinct 5.1 Erf 8101-8119, 8144-8160. Precinct 5.2 Erf 8094-8100, 8161-8202. Precinct 8 stands 1-19, 107-112. **"See Diagram of split-height ROD restriction" (at end of document).** Precinct 10 stands 1072-1101. Precinct 11 stands 1037, 1038, 1043, 1044, 1049, 1055, 1056, 1061, 1062, 1063, 1065, 1066. Precinct 12 stands 1067-1071. Precinct 13 stands 1005-1034. Precinct 14 stands 862-869 - **there is a maximum height restriction of 6m and houses must be single storey.**
- On other stands the maximum wall plate height is 6m and 8m to the ridge line of the roof which is pitched.
- Houses with pitched roofs must be constructed within a height of 8m measured from the natural ground level vertically at any point. Chimneys are exempted from this rule but may extend to only 1m above the ridge height. This height restriction allows for a ground and first floor. The correct height must be verified on completion of construction by a surveyors height certificate.
- Lofts may be planned as living spaces.
- A non-lockable basement (this means a covered area being a basement with no doors or windows) is allowed if 20% of the ground floor area is not exceeded. A floor-to-ceiling height is limited to 2.3m and visible walls 800mm above ground level on street side and 1.2m on private side.
- Internal span widths should be within 4.5 to 7m to provide scale. This is also a function of height.

7.4.2 Building set backs and coverage

- Development adjacent to the natural vegetation must retain a 10m buffer area from the edge of the natural vegetation:
 - If the cadastral boundary is 10m or less from the edge of the natural vegetation, then the house must be set back at least 10m from the **edge of the natural vegetation**.
 - If the cadastral boundary is 10m or more from the edge of the natural vegetation, then the standard building lines will apply.



STAND	COVERAGE	BUILDING LINES		
		Street	Side	Rear
Less than or equal to 250m ²	80%	1 m	1 m	1.5 m
Greater than 250m ² , but not exceeding 500m ²	65%	3 m	1.5 m	1.5 m
Greater than 500m ² , but not exceeding 1 000m ²	50%	4 m	2 m	2 m
Greater than 1000m ²	500m ² or 40%, whichever is greater	5 m	2 m	2 m

7.4.3 Access

- Only one access is permitted per stand from the street with a maximum width of 6m.

7.4.4 Special stands

- The DRC reserves the right to interpret the architectural and landscape design guidelines with discretion.
- Where the DRC allows relaxations of the Design Guidelines it is in cases of specific conditions and is not considered a permanent relaxation.
- The Mossel Bay Municipality reserves the right to approve or reject building applications despite being approved by the DRC.

7.4.5 Privacy and views

- The DRC does not guarantee visual privacy.
- Care must be taken to ensure privacy inbetween houses specifically with the placement of openings and windows.
- The designer of a new house adjacent to an existing house is responsible to ascertain that the privacy of both houses is considered.

7.5 Roofs

7.5.1 Double-pitched roofs must have a pitch of 17.5 to 45 degree. Monopitched main roofs not Permitted.

7.5.2 Mono-pitched roofs emanating from the main roof (lean to) may not be flatter than 7 degrees.



7.5.3 Flat concrete roofs are permitted where main roof forms are fragmented.

Flat concrete roof area may not exceed 30% of the gross floor area.

7.5.4 Materials and colour

The following roof covering materials are permitted:

- Standing seam Zincalume or aluminium in Kliplock profile. Colours Granite matt, Alley matt and Iron matt (Blue Scope Colorbond) or similar approved. These will be used in specific phases or precincts and must be ascertained beforehand.
- Flat concrete roofs where used to fragment or link main roofs require a 50mm layer of 13mm crushed stone dressing.
- Glass roof lights like Tony Sandal may be used in loft roofs. Glass rooflights in concrete roofs may not exceed 2m² and must not be visible externally.
- Gables are permitted (not stylized).
- Roof overhangs should be up to 700mm and 400mm on gables.
- Roof overhangs on verandas must be a maximum of 700mm over veranda supporting columns.



7.6 Fascias, gutters and rainwater downpipes

7.6.1 The height of fascias may not exceed 150mm and finished with dark varnish on treated timber or painted fibre cement. A small prepainted metal coverstrip for protection from the elements may also be used

No white painted fibre cement fascias are permitted.

See fascia detail.




7.6.2 Gutters must be in pre-painted extruded aluminium with a half round or square profile. The minimum size of a gutter must be used for the specific application.
The gutter colour must be the same as the roof sheeting. No white gutters are permitted.
Downpipes must match the colour of the walls.



7.7 Walls

Generally 230mm or 270mm (cavity) walls will be used for superstructures. The following may also be used:

7.7.1 Drypack natural limestone sourced in the Southern Cape for a 1m high plinth or chimneys - see diagram.
7.7.2 Textured plaster is permitted on a maximum of 10% of the total wall surface of a house. A sample of proposed textured plaster finish is to be prepared beforehand for inspection and approval.
7.7.3 Smooth plaster with textured paint finish - wall colors are to comply with the Hartland Lifestyle Estate colour palette - attached. Also displayed in the Hartland Sales Centre on site. Colours with a low reflectance will be used for each cluster of houses. Not more than two complimentary colours may be used on a house.
7.7.4 Fair face brickwork - an approved area of 10% of the total external wall surface is permitted as a feature. The same area applies to vertical metal cladding in same metal + colour as roofing. Fibre cement wall cladding to be painted in matching wall colour. Also refer to Development details.



7.8 Chimneys

7.8.1 Chimneys must compliment the house style.
Chimney details are attached.

7.9 Doors, windows and shutters

The following materials are permitted:

7.9.1 Epoxy powder coated aluminium in approved colours to match house wall colour - note white is not permitted.
7.9.2 Aluminium shutters to match 7.9.1
7.9.3 Garage doors - single or double.
Garage doors are permitted with not more than two adjacent to each other within a wall plane.
Garage doors must not dominate the street elevations of a house.
Materials: horizontal sectional overhead type in painted hardwood or aluminium - colour to match house windows/doors.
7.9.4 Window and door proportions may be both vertical and horizontal.
Large areas of glass (greater than 2.5m²) must be placed under a roof overhang of at least 1m, a veranda or pergola. No round windows are permitted.
7.9.5 Where plastered window or door surrounds are used they may be 120mm wide painted in the same colour as the walls.



7.10 Verandas, pergolas and balconies

Verandas, pergolas and balconies may be constructed out of rectangular hardwood or galvanized and painted steel.

Hardwood, steel or masonry columns may be used to support pergolas.

Minimum size of masonry columns is 345 x 345mm.

Hardwood or steel columns may be 70 x 150mm.

Private verandas may not be deeper than 4.5m.

No round or stylized columns may be used for verandas.

Balconies must be planned for maximum privacy and should be integrated into the house design. Size and extent to be approved by the DRC.
 Balconies should be covered with pergolas.
 Balustrades may be fixed on top of decks or side mounted.

7.11 Plinths and columns


Plastered and dry pack natural stone (Limestone) are encouraged.
 A plinth may not be higher than a window cill or 1m in height and stepped to match the slope of the ground.

7.12 Retaining walls and structures and site treatment

Generally retaining walls are to be discouraged. No retaining wall or structure may exceed 1m in height.
 Natural drypack stone or gabions may be used and must be planted.
 Approved type precast concrete retaining block structures are permitted and must be planted.
 No infilling surpassing the prescribed building lines shall be higher than 500mm and not exceed 1m (Section 21 (1) (a) of bylaw - above the natural ground line. In special cases the HOA may consider an application to exceed this height. An approved protective barrier is required above retaining walls in accordance with municipal regulations.
Note: A rational design is required by a competent person for free standing / retaining walls.

7.13 Boundary walls and fences

- 7.13.1 The complete fencing of a property is not permitted as this restricts the movement of game and landscape continuity.
- 7.13.2 Boundary/yard walls in plastered masonry must be a visual extension of the main forms of the house and must have the same finishes. Where privacy is required additional walling may be considered by the DRC.
 Boundary walls may not exceed 20% of the boundary length.
- 7.13.3 Where domestic pets are kept or where a swimming pool is enclosed a metal fence (BestFence) may be used with a maximum height of 1.2m
 Where additional fencing is required for pets this may be considered by the DRC.
 Planted indigenous hedges along fence lines are encouraged. Colour charcoal or dark green.
- 7.13.4 Kitchen yard walls may be 2.1m high. Measured from the yard floor. When areas are filled up to 1m then a wall of maximum 3.1 may be erected on top of fill (Section 61 of By Laws).
- 7.13.5 Gates: in matching hardwood or galvanized painted steel.
- 7.13.6 Boundary or yard walls must be securely constructed to include a square drip moulding above to details.
 No precast concrete walls are permitted.
- 7.13.7 Any yard wall surpassing the building lines is limited in height to a maximum of 2.1m above the natural ground line. See 7.13.4
- 7.13.8 An approved protection barrier shall be provided where there is a change of level greater than 1m in accordance with SANS 10400-D.



7.14 Swimming pools

- 7.14.1 Pool fences or enclosures to be erected to comply with National Building Regulations. Colour as 7.13.3
- 7.14.2 Pools may not be constructed closer than 3m from a boundary and may not be above ground (portapools).
- 7.14.3 Pool filtration installations and heatpumps must be properly screened not to be visible or to create a noise.
 Filter backwash must comply with environmental regulations.
- 7.14.4 Dark coloured pools are encouraged. Pools must reflect the shape of the house.

7.15 Timber decks

Due to steep slopes in parts of Hartland Lifestyle Estate timber decks may be used as an extension of living areas of a house.

This alleviates the large scale construction of retaining walls and fill. Buildings thus float in the landscape.

The maximum height of a timber deck above the natural ground is 1.5m and should be planted below.

Decks must cantilever at least 500mm past supporting columns.

Treated timber is important for the construction of timber decks in accordance with regulations.

7.16 Balustrades

The following are suggested in compliance with National Building Regulations (1050mm above floor level):

- Galvanized painted steel with hardwood top rails.
- Stainless Steel
- Glass
- Stainless steel to approved design.
- Glass unframed to regulations.

7.17 Site parking and carports

- Apart from a garage space at least one space for an additional vehicle is required on site for parking within property boundaries.
- Separate and joined carports are permitted.
- Carports must match the house design. Side and back of carports must be screened.
- Requirements for roofs is also applicable to carports.
- Attached or free-standing single or double carports are permitted
- Roofing should match the house or where flat should be dressed with stone chips.
- All rules pertaining to roof details and materials apply to carports.

7.18 Outbuildings

- An outbuilding may not be larger than 20% of the gross area of the main house.
- A garage is classified as an outbuilding.
- Outbuildings may be loose standing but linked or semi-linked to the main house by means of a veranda or pergola structure.
- No garage or outbuilding may be a double storey unless it is part of the main house.
- Outbuildings are defined as accommodation for domestic staff, playrooms, a studio or workshop etc.

Only bona fide outbuildings that function with the main house are permitted by the Mossel Bay Municipality.

7.19 Security

- Burglar bars, gates and screens must be fixed within window or door openings.
Vertical or horizontal bars must align with the shape of the windows/doors.
- Safety lighting must not illuminate beyond the stand boundary and must be of the type that is movement activated.

7.20 Stormwater

- Stormwater system must be a rational design by a competent person. The Arch should make provision for stormwater flow throughout the design to make sure there is sufficient flow along and around the house to not flood neighbouring houses and also to prevent stormwater runoff to gather against houses.

8. SERVICES

8.1 Service pipes

Sewage and waste pipes must be housed in ducts within walls and not surface mounted on the external walls of a house.
Only stub stacks may be exposed to a height of 500mm above floor level.

8.2 Satellite dishes and aerials

Not required as each property is supplied with fibre. A standard connection box is to be provided.

8.3 Telephone and electrical cables

Must be underground.

8.4 Air-conditioning

Units must be screened from sight on ground floor or on flat roofs.
Wall or window units are not permitted.

8.5 Solar photovoltaic panels - Energy harvesting

It is important that Hartland Lifestyle Estate embraces green building principles particularly in respect of energy savings specially where the supply of electricity is nationally erratic.

The use of photovoltaic power systems that are grid-tied is encouraged. This reduces the supply load of the Estate and allows for more flexibility and redundancy.

Only flush mounted panels are permitted on roofs with permission of the DRC. Colour must match roofs.

The extent of photovoltaic cells on roofs must be submitted to the DRC for consideration and Municipal approval.

Owners should note that Mossel Bay Municipality has their own policy for the installation and use of renewable energy generation plants in private residents for approval.

The municipal approval does not include the solar system for renewable energy sources. The property owner must comply with the Mossel Bay Municipality (Electrical Dept. SSEG application and Building Control) regulations and procedures to obtain approval.

The use of heat pumps or **gas push-through geysers** for water heating is compulsory.

8.6 Gas installations

Gas is to be used for kitchen hobs.
See Municipal regulations.

8.7 Refuse, drying yards and storage of LP gas cylinders

These must be screened behind walls.
See Municipal regulations.

8.8 Electrical and irrigation cupboards

Must be flush mounted and painted the same colour as wall. To preferably be located in yards.

8.9 Rainwater tanks

Water saving appliances are compulsory.
2000ℓ rainwater tanks must either be housed in yards, courtyards or in special brick/stone clad structures. No taps linked to piped or potable water may be installed outside a building. Any water used in gardens or

outside buildings must be only collected water.

8.10 External and site lighting

All exterior lighting must be shaded above the horizontal level.
No flood lights are permitted.

8.11 Paving

Concrete pavers are permitted in parking areas on site.
See examples at marketing office.
Areas of paving should be kept to a minimum.
Entrance roads to panhandle erven must be constructed in two strips (not solid).

8.12 House numbers

Maximum size 120mm high and 100mm wide.

8.13 Metering of services



Three weatherproof wall recessed boxes are required to be installed in the kitchen yard for electricity and water metering as well as fibre optic cable.

8.14 Electrical Generators

- Aesthetic Requirements:
 - All generators that are permanently installed (in position more than 14 days) may not be visible from the street or the natural ground level of neighbouring stands.
 - All generator screens or elements to be painted or screened in materials or colours that compliment the design. Approval needs to be obtained by the DRC.
 - Temporary and or portable generators will not be allowed.
- Position:
 - All generator positions are to be indicated on the plans and approved by the DRC.
 - Fixed/permanent generators are to comply with all building lines and servitude restrictions.
 - Permanent generators are to be operated only in the approved position.
 - Approved operating position is subject to consideration of adjacent structures.
 - No generator shall be placed next to a boundary wall nor shall the boundary wall be used to partially screen such generator.
 - The DRC may request the owner to obtain his/her neighbour's approval to place a generator.
- Noise:
 - Generators must be operated in such a way to not be a nuisance to neighbours and in accordance with the House Rules for Good Neighbourliness. Operating hours must be restricted by a timer device to 7:00 to 22:00 irrespective of power outages. Where this is not possible, approval must be obtained from the HOA before installation is affected. **(No generator will be allowed to operate between 22:01 and 06:59)**
 - The sound emanating from a generator may not be more than 65dB.
 - The indoor noise within and adjacent property may not measure more than 25dB.



- Only SANS approved generators will be approved by the HOA. An operator's instruction shall be provided to the HOA prior to approval, indicating SANS approval as well as sound emission of generator not exceeding 65dB.
- All generators shall be fitted with a proper manufactured approved sound muffler in order to reduce noise and air pollution.
- **Pollution:**
 - Exhaust fumes must be discharged in such a way to not cause fume concentrations.
 - Exhaust fumes must be directed towards the street or larger open area on the stand and not the neighbouring properties.
- **Technical Requirements:**
 - Apart for the HOA approval, approval must be obtained before installation is done.
 - All generator installations are to be done in line with SANS Regulations by a qualified Electrician.
 - Fuel storage as per Mossel Bay Municipality.



9. GARDEN AND LANDSCAPE DESIGN

A concept garden layout is required with submission of working drawings for each house at a scale of 1:100. This must indicate the following:

- 9.1 Adjacent private and public areas.
- 9.2 All formed slopes, retaining walls and structures.
- 9.3 Paving, swimming pools, fences, walls and other structural elements.
- 9.4 Detail of the handling of stormwater runoff or retention.
- 9.5 Details of finishes.
- 9.6 Any requirements for the extension of a private garden on adjacent public land indicating detail. Permission must be obtained from the DRC and HOA on the basis that maintenance is the responsibility of the owner. Private landscaping is permitted in the road reserves.
- 9.7 Extent of lawns and planting as well as a list of plant species to be used.

10. SUGGESTED LIST OF PLANTS FOR USE AT HARTLAND LIFESTYLE ESTATE

It is suggested that palms or other large leafed plants are not used as it creates a tropical atmosphere which is in conflict with the environment at Hartland Lifestyle Estate.

Plan species occurring naturally in the area include trees, shrubs, ground covers, restios and other fynbos species.

TREES

Tarchonanthus Camphoratus: Wild camphor tree

Pittosporum viridiflorum: Small evergreen tree

Diospyros dichrophylla: Monkey apple

Pterocelastrus tricuspidatus: Candle wood

Sideroxylon inerme: Melkhout

Cassine piragua: Baster saffraan

Acacia karoo

Gymnosporia buxifolia


Bymnosporia buxifolia

Bymnospria nemerosa
Laurida tetragona
Mystroxylon aethiopicum
Putterlickia pyrancantha
Robsonodendron maritimum
*Olea europaea subsp. *ribicula**
Olea exasperate



SHRUBS


Anthospermumrostratum
Athanasia cochlearifolia
Chrysanthemoides monifera
Chrysocoma tenuifolia
Cirsium vilgare (alien)
Conyza scabrida
Disparago krausii
Elytropappus rhinocerotis
Eriocephalus africanus
Felicia amelloides
Felicia filifolia
Felicia muricate
Oedera genistoides
Pteroniahirsute
Pteronia incana
Petronia oppositifolia
Stoebe plumose
Syncarpha paniculate
Ursinia anthemoides
Erica dispar
Gnidia chrysophylla
Gnidia recemosa
Passerina rigida
Passerina vulgaris
Struthiola striata
Phylica axillaris
Phylica stipularis
Heliophila subulate
Osyris compressa
Rhus crenata
Rhus glauca
Rhus ludica forma lucida
Rhus pterota
Carissa bispinosa



Aagthosma apiculatum
Agathosma muirii
Agathosma sp nova
Clausena anisate
Diosma arisata
Euchaetis burchallii
Abutilon sonneratianum
Grewia occidentalis
Cyananchum obtusifolium
Fockea edulis
Orbea variegate
Sarcostemmia viminale
Muraltia satureioides var satureioides
Nylandtia spinosa
Polygala myrtifolia
Polygala umbellata
Cotyledon orbiculata
Crassula expansa subsp filicaulis
Crassula muscosa
Crassula rubricaulis
Commelina Africana
Aspalathus quinquefolia
Indigofera denudata
Indigofera meyeriana
Lessertia frutescens
Rhynchosia caribaea
Schotia afra
Hebenstreitia integrifolia
Hyobanche sanguinea
Jamesbrittenia micropylla
Mahulea cheranthus
Sutera campanulate
Sutera hispida
Selago corymbosa
Selago eckloniana
Selago sp
Aizoon canariense
Tetragonia fruticosa
Lycium cinereum
Leonotis leonurus
Salvia Africana-lutea
Myrsine Africana
Zygophyllum flexuosum



Zygophyllum morgsana
Cussonia thyrsiflora
Clutia daphnoides
Euphorbia burmannii
Euphorbia clandestine
Euphorbia heptagona
Euphorbia mauritanica
Asparagus capensis
Asparagus rubicundus
Asparagus striatus
Opuntia ficus-indica
Agave Americana
Limeum telephoides



ALOES

Aloe arborescens
Aloe ferox
Aloe maculata
Gasteria carinata
Harwarthia chloracantha var denticulifera
Hawarthia parksiana

RESTIOS (RIET)

Cynodon dactylon
Digitaria eriantha
Ehrharta calycina
Ehrharta villosa
Eragrostis curvula
Eragrostis plana
Eustahys paspaloides
Sporobolus fimbriatus
Stipagrostis zeyheri
Themeda triandra
Triraphis andropogonoides
Ficinia stolonifera
Ficinia truncata
Helmuthia membranacea
Ischyrolepis leptoclados
Thamnochortus erectus
Thamnochortus insignis



PROTEAS

Leucadendron salignum

GROUND COVERS

Osteospernum polygaloides
Chironia baccifera
Acrodon subulatus
Carpobrotus edulis
Cephalophyllum purpureo-album
Conicosia pugioniformis subsp muirii
Delosperma asperulum
Delosperma virens
Glottiphyllum longum
Jordaniella dubia
Mesembryanthemum crystallinum
Mesembryanthemum sp
Monsonia emarginata
Pelargonium capitatum
Pelargonium peltatum
Solanum quadrangularis
Solanum sisymbriifolium
Solanum tomentosum
Stachys aethopica
Azima tetracantha
Rhoicissus digitata
Cassytha ciliolata
Knowltonia versicoloria
Bulbine lagopus
Exomis microphylla
Blapharis capensis



SURINGS

Oxalis pendulifolia
Oxalis pes-caprae
Oxalis sp1
Oxalis sp2

11. CODE OF CONDUCT: CONTRACTORS

To ensure the preservation of the environment the following must be complied with:

- A code of conduct agreement must be signed by all building contractors before the commencement of construction at Hartland Lifestyle Estate. Property owners and their agents must ensure that these procedures are complied with.
- All building contractors must be registered with Hartland Lifestyle

Estate prior to the commencement of construction.

- Main contractors are responsible for sub-contractors.

11.1 Contractors All-Risk Insurance policy

Prior to the commencement of construction building contractors must provide proof of all-risk insurance cover to the satisfaction of a property owner or his agent.

11.2 Contractors deposit

An amount of R8000 is payable prior to the commencement of construction to fund repairs to infrastructure or the environment due to construction damage. If this amount is exceeded the balance will be for the account of the property owner.

11.3 Deliveries

All site deliveries are made via the main entrance to Hartland Lifestyle Estate.

No vehicles heavier than 6 ton will be permitted access with the following loads:

11.3.1 Sand and stone - maximum 6m³

11.3.2 Bricks - maximum 3050

11.3.3 Cement - maximum 120 pockets

Deliveries must be arranged during construction hours i.e. 7:30 to 17:30 Mondays to Fridays.

11.4 Site beacons

Site beacon pegs may not be removed.

Reinstatement will be for the account of the property owner.

11.5 Water and electrical meters

These must be protected during construction.

11.6 Construction site demarcation

Construction must be contained within the building footprint. Natural vegetation may only be removed with the permission of the HOA.

Topsoil that has been stripped for construction must be carefully stockpiled on the site.

11.7 Site office

A weatherproof container-type site office/store in good condition may be placed on site for removal after construction.

11.8 Site toilet

A chemical toilet maintained in good sanitary condition to be used during construction on site.

11.9 Site hoarding

Dark green shadecloth and timber framework hoarding to be erected on a construction site prior to construction starting.

Height 2.1m.

No construction materials may be stored outside the hoarding.

11.10 Refuse and construction rubble

All refuse and rubble must be removed on a weekly basis. On completion of a project topsoil that was stockpiled is to be spread over the site.

No dumping of refuse or rubble will be permitted on the estate.

11.11 Protection against flooding and slumping

Proper care must be taken to prevent this on construction sites.
No cement or chemical waste water may be released on a site.

11.12 Site staff

Only contractors staff are permitted on site.

11.13 Fires

No fires may be made on any construction site.

11.14 Sewage and water connections

Pipes must be kept clean to prevent blockages.

11.15 Speed restrictions

A maximum speed limit for all vehicles of 30km per hour is enforced on the estate.

11.16 Breach of contract

With any breach of contract the following will be applied:

- 11.16.1 A request to the contractor to comply with regulations within 4 days.
- 11.16.2 Repair or remedial work to be conducted and the use of the construction deposit.
- 11.16.3 A decision by the estate management must be accepted by the property owner.

11.17 Building contractors

To ensure quality construction only approved building contractors are permitted to work on the estate.

Property owner have a choice of selected building contractors by way of tender or negotiation.

12. ENVIRONMENTAL MANAGEMENT

Due to the visual and biological sensitivity of the site it is important to comply with and respect the conditions of the Environmental Management Plan for the estate.

CHECKLIST

13. DESIGN REVIEW COMMITTEE: GUIDELINES FOR BUILDING APPROVAL

To be submitted with building applications

1. SITE	YES	NO	NOTES
1.1 0.5m Contours			
1.2 Geotechnical report			
1.3 Maximum 8m building height, wall plate 6m (See special erven 6m) 7.4.1			
1.4 First floor < 60% ground floor area			
1.5 Large roofs to be fragmented			
1.6 Building lines			
1.6.1 <u>< 250m²</u>			
❖ Street 1m			
❖ Side 1m			
❖ Rear 1.5m			
1.6.2 <u>250 - 500m²</u>			
❖ Street 3m			
❖ Side 1.5m			
❖ Rear 1.5m			
1.6.3 <u>500 - 1000m²</u>			
❖ Street 4m			
❖ Side 2m			
❖ Rear 2m			
1.6.4 <u>> 1000m²</u>			
❖ Street 5m			
❖ Side 2m			
❖ Rear 2m			
1.6.5 Building line 2m adjacent to nature area			
1.6.6 Screen walls max 20% of length of a boundary			
1.6.7 Building within building setbacks			
1.6.8 Site plan			
❖ Building setbacks			
❖ Servitudes			
❖ Extent of buildings			
❖ Floor levels including a datum height			
2. LAND USE AND COVERAGE			
2.1 One house per stand			
2.2 Coverage according to size			
2.3 Outbuildings single storey			
2.4 Lofts - wall plate at 3.5m			
2.5 Maximum coverage			
2.6 Storage of boats and caravans			
3. LANDSCAPE PLAN			
3.1 Clearing of site			
3.2 Tree removal			
3.2.1 Exotic plants			
3.2.2 Other			
3.3 Landscape			
3.3.1 Pergolas			
3.3.2 Screen walls			
3.3.3 Site shapes:			
❖ Use of water			

<ul style="list-style-type: none"> ❖ Focus points ❖ Use of natural rocks 		YES	NO	NOTES
3.4 Fencing				
3.4.1	Fencing			
3.4.2	Walls			
3.5	Paving - driveways to match sidewalk paving			
3.6	Berms - for shelter and privacy and act as windbreaks			
3.7	Lawn - keep to minimum			
3.7.1	Buffalo			
3.7.2	Kweek			
3.7.3	Kikuyu - not permissible			
3.8 Planting				
3.8.1	Indigenous plants as far as possible			
3.8.2	Exotics near entrance of houses, veranda pots and pergolas			
3.8.3	Fynbos - low growing, tough, needle-like plants			
3.8.4	No palms. True character in Southern Cape			
3.8.5	Plant suitability - see Guidelines			
3.9 Landscape layout				
3.9.1	Is plan clear and to correct scale			
3.9.2	Are all items clearly identified and described			
❖	Paving			
❖	Stepping stones			
❖	Plant material			
❖	Features			
3.9.3	Fencing			
3.9.4	Design sustainability			
❖	Indigenous			
❖	Exotic			
❖	Privacy between houses			
❖	Have views been taken into account			
❖	Balance and scale of landscape and buildings			
4. BUILDING FORM				
4.1	Maximum 2 storeys in height above NGL			
4.2	Maximum height restriction - 8m (see Guidelines 7.4.1 for specific erven)			
4.3	Garage 1 storey			
4.4 Levels				
❖	No columns, piers or similar			
❖	Respond to contours -step with slope			
4.5	Rectangular or square forms			
4.6	Privacy of adjoining properties' views			
4.7	Minimum use of terrace blocks			
5. COLOUR				
5.1	Colour board to be submitted for approval - walls, roofs, aluminium			
5.2	Sample colour application on building required for approval.			
6. CONSTRUCTION AND MATERIALS				
6.1 Roofs				
6.1.1	17° - 45° (lean-to min 7°)			
6.1.2	Flat roofs max 30% - stone chip			
6.1.3	Variation of roofs required			
6.1.4	Closing of roof ends required			

		YES	NO	NOTES
6.2 External walls				
6.2.1	Site walls and fences Materials allowed -Plaster, local stone (per example)			
6.2.2	Max 20% of length of site boundary subject to DRC approval			
6.2.3	Wall to compliment house			
6.3 Fenestration doors & shutters				
6.3.1	Windows & doors: ❖ Wood - varnish ❖ Wood - paint ❖ Aluminium -powder coated/anodised.			
6.3.2	Window proportions - vertical expression.			
6.3.3	No Winblocks allowed			
6.3.4	Horizontal Garage door type - aluminium/Zincalume			
6.3.5	Large window openings to be recessed			
6.3.6	No external burglar bars allowed			
6.3.7	Boarded or louvred or timber shutters preferred Aluminium allowed - to approved colour to match windows			
6.4 Chimneys - see detail				
6.5 Pergolas:				
6.5.1	Timber/steel			
6.5.2	Latte No corrugated or sheet metal on pergola's allowed.			
6.6	Soil & waste pipes to be concealed in ducts - not visible			
6.7	Gutters & down pipes to be unobtrusive - aluminium Downpipe colour to match walls - aluminium/PVC painted			
6.8	Visible skylights not allowed			
6.9	Visible solar panels to DRC approval (PV/Solar water heating)			
6.10	Balustrade - approval required			
6.11	Colour scheme to approved schemes.			
6.14	Laundry, gas & refuse areas to be enclosed - per detail			
6.15	No visual TV aerials or dishes - fibre provided			
6.16	No awnings, unless retractable canvas approved by DRC			
7. DRIVEWAY				
	Paving type to match adjacent sidewalks			
8. STORM WATER				
	Layout to accompany plans			
9. POOLS & FENCES				
	Pool fence design to be submitted. To comply with National Building Regulations			
10. ROOF MATERIALS				
10.1	Standing seam Zincalume or aluminium in Kliplock profile - matt			
10.2	Concrete with stone dressing - flat roofs			

11. SITE WALLS & FENCES		YES	NO	NOTES
11.1	No prefabricated walling system			
11.2	Must follow contours			
12. WATER SAVING DEVICES (MUNICIPAL REGULATION)				
12.1	Low flow shower heads			
12.2	Dual flush toilet cisterns			
12.3	Rainwater tanks			
13. SOLAR HOT WATER INSTALLATIONS (MUNICIPAL REQUIREMENT)				
13.1	Solar collector on roof - see also 6.9			
14. SOLAR PHOTO VOLTAIC ELECTRICITY				
14.1	Extent of PV panels - see also 6.9			
14.2	Position			
17.13.3 Boundary walls and fences				
15. METERING SERVICES				
15.1	3 x Recessed wall boxes in yard for electricity and water Metering as well as optic fibre.			

14. REVISIONS

To be submitted with building applications

DATE	REFER TO
2020.02.04	Boundary walls and fences: additional fencing + indigenous hedge (ref. 7.13.3)
2020.09.30	Typo errors amended in par. 6, 7.17, 9.6, 9.7 and 10.
2020.10.27	Alterations in "13. Checklist" 3.5, 3.8.4, 3.8.5, 4.2, 4.7, 5.1, 6.1.1, 6.1.2, 6.2.1, 6.3.4, 6.7, 6.9, 6.14, 6.15, 7, 10.2 (deleted, replaced by 10.3)
2020.11.11	<u>Alterations:</u> <ul style="list-style-type: none"> o 5.1.1 - Sketch plans and info for municipal approval o 7 - Guidelines must be read in conjunction with EMP forming part of guidelines o 7.4.1 - Non-lockable basement o 7.4.2 - Set back of 2m o 7.5.4 - Granite colour matt o 7.7.3 - Colour palette + photo illustration o 7.18 - Typo errors amended o 8.2 - Satellite dishes and earials o 8.5 - Solar hot water systems + geyser robot system o 8.9 - Water saving appliances o 8.13 - Metering services o Checklist: <ul style="list-style-type: none"> o 1.6.5 (roof) o 15 (metering)
2020.11.23	Housing of rainwater tanks - 'courtyards' added (refer 8.9).
2021.05.05	<u>Alterations:</u> <ul style="list-style-type: none"> o 6 - Construction time as per signed sales contract. o 7.5.4 - 3 roof sheeting colours added. o 8.5 - Reusable energy note - Mossel Bay Municipality. o 8.9 - 2000ℓ rainwater tank capacity.


2022.04.26	<p><u>Alterations:</u></p> <ul style="list-style-type: none"> ○ 7.4.1 - 3rd bullet point (page 5) ○ Maximum building height - <ul style="list-style-type: none"> : 1.3 - maximum building height 8m (page 18) : 4.2 - maximum building height 8m (page 19) <p><u>Addition:</u></p> <ul style="list-style-type: none"> ○ Electrical generators: 8.14 (pages 10 and 11).
2022.05.05	<p><u>Alterations:</u></p> <ul style="list-style-type: none"> ○ 1 - Background: "The following types of buildings are envisaged in various part of the estate" - <ul style="list-style-type: none"> : 5th bullet added (page 3) ○ 7.12 - Retaining walls and structures - <ul style="list-style-type: none"> : "Approved type precast concrete retaining block structures are permitted and must be planted."
2022.08.30	<p><u>Alterations :</u></p> <ul style="list-style-type: none"> ○ 7.7.4 - Fair face feature walls - added (page 7)
2022.09.05	<p><u>Additions:</u></p> <ul style="list-style-type: none"> ○ 1 - Background: <ul style="list-style-type: none"> : 4th bullet - omit "Eco Homes" (page 3) : "The minimum size of a dwelling is 125m² for even larger than 500m² (page 3) ○ 7 - Architectural and landscape design guidelines: <ul style="list-style-type: none"> : Add 5th bullet - "Same looking houses may not be repeated alongside each other in phases 2, 3, 4 and future phases" (page 4)
2022.09.13	<p><u>Alterations :</u></p> <ul style="list-style-type: none"> ○ 1 - Background: The following types of buildings are envisaged in various part of the estate - <ul style="list-style-type: none"> : 4th bullet (page 3): "At precincts 3, 4 and future Phases houses of a minimum of 180m² floor area are permitted".
2023.02.24	<p><u>Alteration:</u></p> <ul style="list-style-type: none"> ○ 17.13.3 - Enclosed metal fencing specification: Bestview.
2023.08.09	<p><u>Alteration:</u></p> <ul style="list-style-type: none"> ○ 7.12 - "Retaining walls and structures <u>and site treatment</u>": <p>Addition -</p> <p>"No infilling surpassing the prescribed building lines shall exceed 500mm above the natural ground line. In special cases the HOA may consider an application to exceed this height."</p> ○ 7.13 - Boundary walls and fences: Additions - <ul style="list-style-type: none"> 7.13.7 - "Any yard wall surpassing the building lines is limited in height to a maximum of 2.1m above the natural ground line." 7.13.8 - "An approved protection barrier shall be provided where there is a change of level greater than 1m in accordance with SANS 10400-D." ○ 8.5 - Solar hot water or photovoltaic panels - Energy harvesting: <p>Addition -</p> <p>"The municipal approval does not include the solar system for renewable energy sources. The property owner must comply with the Mossel Bay Municipality (Electrical Dept. SSEG application and Building Control) regulations and procedures to obtain approval."</p>
2023.08.14	<p><u>Addition:</u></p> <ul style="list-style-type: none"> ○ 7.12 - "Retaining walls and structures and site treatment": <p>"No infilling surpassing the prescribed building lines shall exceed 500mm above the natural ground line. <u>In special cases the HOA may consider an application to exceed this height.</u>"</p>
2023.10.06	<p><u>Alteration:</u></p> <ul style="list-style-type: none"> ○ <u>2: Aesthetic Standards and Approvals:</u> Municipal By-laws (par.1)

2023.11.28	<p><u>Alteration:</u></p> <ul style="list-style-type: none"> ○ 7.4.2: Building set backs and coverage: Development adjacent to the natural vegetation must retain a 10m buffer area from the edge of the natural vegetation: <ul style="list-style-type: none"> ○ If the cadastral boundary is 10m or less from the edge of the natural vegetation, then the house must be set back at least 10m from the edge of the natural vegetation. ○ If the cadastral boundary is 10m or more from the edge of the natural vegetation, then the standard building lines will apply.
2024.02.01	<p><u>Alteration:</u></p> <p>7.4.1 <i>Height and span width:</i></p> <ul style="list-style-type: none"> • Precinct 3 Erf 7545-7572. Precinct 5.1 Erf 8101-8119, 8144-8160. Precinct 5.2 Erf 8094-8100, 8161-8202. Precinct 8 stands 1-19, 107-112. Precinct 10 stands 1072-1101. Precinct 11 stands 1037, 1038, 1043, 1044, 1049, 1055, 1056, 1061, 1062, 1063, 1065, 1066. Precinct 12 stands 1067-1071. Precinct 13 stands 1005-1034. Precinct 14 stands 862-869 - there is a maximum height restriction of 6m and houses must be single storey. <p><u>Addition:</u></p> <p>7.4.2 Epoxy powder coated aluminium in approved colours to match house wall colour - note white is not permitted.</p>
2024.03.28	<p><u>Alteration:</u></p> <p>7.20.1 Where domestic pets are kept or where a swimming pool is enclosed a metal fence (BestFence) may be used with a maximum height of 1.2m</p>
2024.05.24	<p><u>Addition:</u></p> <p>7.16 (2 bullet points)</p> <ul style="list-style-type: none"> • Galvanized painted steel with hardwood top rails. • Stainless steel to approved design. • Glass unframed to regulations.
2025.04.02	<p><u>Addition:</u></p> <p>7.5 Roofs - “Monopitched main roofs not Permitted”</p> <p>7.5.3 “Flat concrete roof area may not exceed 30% of the gross floor area.”</p> <p>7.5.4 “Gables are permitted (not stylized).”</p> <p>7.7.4 “The same area applies to vertical metal cladding in same metal + colour as roofing.” “Fibre cement wall cladding to be painted in matching wall colour.” “Also refer to Dalmar Construction details.”</p> <p>7.9.4 “No round windows are permitted.”</p> <p>7.12 “An approved protective barrier is required above retaining walls in accordance with municipal regulations.”</p> <p>7.16 Balustrades</p> <ul style="list-style-type: none"> • “Stainless Steel” • “Glass” <p>7.17 Carports: “Side and back of carports must be screened.”</p> <p>8.11 Paving: “Areas of paving should be kept to a minimum.” “Entrance roads to panhandle erven must be constructed in two strips (not solid).”</p>
2025.07.14	<p><u>Additions and alterations</u></p> <p>7.4.5 “The designer of a new house adjacent to an existing house is responsible to ascertain that the privacy of both houses is considered.”</p> <p>7.12 “No infilling surpassing the prescribed building lines shall be higher than 500mm and not exceed 1m (Section 21 (1) (a) of bylaw - above the natural ground line.”</p> <p>Note: A rational design is required by a competent person for free standing / retaining walls.</p> <p>7.13.3” When areas are fitted up to 1m then a wall of maximum 3.1m may be erected on top of fill (Section 61 of By Laws”).</p> <p>7.13.7 See 7.13.4</p> <p>7.20 Stormwater</p> <p>Stormwater system must be a rational design by a competent person. The Arch should make provision for stormwater flow throughout the design to make sure there is</p>

	<p>sufficient flow along and around the house to not flood neighbouring houses and also to prevent stormwater runoff to gather against houses.</p> <p>8.5 Solar photovoltaic panels - Energy harvesting “The extent of photovoltaic cells on roofs must be submitted to the DRC for consideration and Municipal approval.” “Owners should note that Mossel Bay Municipality has their own policy for the installation and use of renewable energy generation plants in private residents for approval.” “The use of heat pumps for water heating is compulsory. “</p> <p>8.6 See Municipal regulations. 8.7 See Municipal regulations.</p>
2025.11.12	<p>5.1.5 A 3D rendering of the house is required. 7.4.1 “See Diagram below for split-height ROD restriction”. 7.7.2 Textured plaster is permitted on a maximum of 10% of the total wall surface of a house. A sample of proposed textured plaster finish is to be prepared beforehand for inspection and approval 8.5 The use of heat pumps or gas push-through geysers for water heating is compulsory.</p>

PHASES 8





*all sizes subject to Surveyor-general final measurements

Plot	Surface Area (m²)
EE1	725
EE2	761
EE3	920
EE4	667
EE5	798
EE6	657
EE7	660
EE8	757
EE9	764
EE10	988
EE11	922
EE12	754
EE13	944
EE14	915
EE15	936
EE16	835
EE17	825
EE18	826
EE19	866
EE20	852
EE21	835
EE22	856
EE23	854
EE24	884
EE25	867
FF1	667
FF2	653
FF3	662
FF4	667
FF5	673
FF6	647
FF7	744
FF8	762
FF9	762
FF10	762
FF11	744
FF12	728
FF13	852
FF14	849
FF15	846
FF16	712
FF17	741
FF18	665
FF19	680
FF20	660
FF21	774
FF22	844
FF23	793
FF24	793
FF25	793
FF26	842
FF27	837
FF28	702
FF29	652
FF30	622
FF31	686
FF32	729
FF33	795
FF34	375
FF35	763
FF36	614
FF37	1037
FF38	833
FF39	857
FF40	1003
FF41	984
FF42	875
FF43	875
FF44	986
FF45	958
FF46	1073
FF47	822
FF48	930
FF49	1096
FF50	1062
FF51	1064
FF52	1106
FF53	1155
FF54	1063
FF55	1050

*all sizes subject to Surveyor-general final measurements

